

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/28/2020 Revision date: 12/06/2021

SECTION 1: Identification			
1.1. Identification			
Product form	: Mixture		
Trade name	: Pinalen Max Power Wipes	Lavender Dreams	
Product code	: 2705		
1.2. Recommended use and restri			
Use of the substance/mixture	: Cleaning/washing agents a	and additives	
1.3. Supplier			
AlEn del Norte, S.A. de C.V. Blvd. Gustavo Díaz Ordaz 1000 Los Treviño Santa Catarina, N.L. 66150 - México T 81221000/ 800 424 9300 www.grupoalen.com			
1.4. Emergency telephone numbe	r		
Emergency number	: 800.424.9300 24 hrs.		
SECTION 2: Hazard(s) identifica	ation		
2.1. Classification of the substance			
GHS US classification			
Not classified			
2.2. GHS Label elements, includin	g precautionary statements		
According to the corresponding national re	egulations there is no labelling obligatio	n for this product.	
Other hazards not contributing to the classification	: None under normal condition	ons.	
2.3. Other hazards which do not re	esult in classification		
No additional information available			
2.4. Unknown acute toxicity (GHS	US)		
Not applicable			
<b>SECTION 3: Composition/Inform</b>	mation on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name		Product identifier	%
ethanol		(CAS-No.) 64-17-5	0.2 – 0.5
Full text of hazard classes and H-stateme	nts : see section 16		
SECTION 4: First-aid measures			
4.1. Description of first aid measu	res		
First-aid measures general	: Depending on the victim's advice/attention.	condition: doctor/hospital. IF exposed o	or concerned: Get medical
First-aid measures after inhalation		r and keep comfortable for breathing. C	Get medical advice/attention if
First-aid measures after skin contact	,	urs: Get medical advice/attention. Was	h skin with plenty of water.
First-aid measures after eye contact		nty of water. Rinse eyes with water as	
First-aid measures after ingestion		ervice if you feel unwell. Call a poison	•

#### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Immediate medical attention and speci	al treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	g media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the chem	nical
Fire hazard	: Non combustible.
Explosion hazard	: No direct explosion hazard.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment and prec	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
<b>SECTION 6: Accidental release measu</b>	res
6.1. Personal precautions, protective equip	ment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment.
6.2. Environmental precautions	
Avoid release to the environment. Notify authorities	if product enters sewers or public waters.
6.3. Methods and material for containment	and cleaning up
Methods for cleaning up	: Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly.</li> <li>Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke</li> </ul>
	when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.
SECTION 8: Exposure controls/person	al protection
8.1. Control parameters	
ethanol, conc=90%, aqueous solution (64-17-	5)
Not applicable	
8.2. Appropriate engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.
8.3. Individual protection measures/Person	al protective equipment

### Safety Data Sheet

Hand protection: Protective gloves Eye protection: Safety glasses

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
Wear respiratory protection.	
SECTION 9: Physical and chemical p	
.1. Information on basic physical and ch	
Physical state	: Liquid
Appearance	: Liquid.
	: Colourless to light amber
	: characteristic
Odor threshold	: No data available
рН	: ≈ 8 (7.5 – 8.5)
Melting point	: Not applicable
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: Not applicable
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available
.2. Other information	
VOC content	: ≈ 0.45 g/l
Percent Solids	: 3-4%

SECTIO	ON 10: Stability and reactivity		
10.1.	Reactivity		
The prod	uct is non-reactive under normal conditions of use, storage and transport.		
10.2.	Chemical stability		
Stable ur	nder normal conditions.		
10.3.	Possibility of hazardous reactions		
No dange	erous reactions known under normal conditions of use.		
10.4.	Conditions to avoid		
None und	None under recommended storage and handling conditions (see section 7).		

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.5. Incompatible materials

#### No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

<b>SECTION 11: Toxicological information</b>	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	Not classified
ethanol, conc=90%, aqueous solution (64-17-	5)
LD50 oral rat	> 5000 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
LC50 Inhalation - Rat	> 20 mg/l (4 h, Rat, Inhalation)
Skin corrosion/irritation	: Not classified
	pH: ≈ 8 (7.5 – 8.5)
Serious eye damage/irritation	: Not classified
	pH: ≈ 8 (7.5 – 8.5)
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
ethanol, conc=90%, aqueous solution (64-17-	5)
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
Viscosity, kinematic	No data available

SECTION 12: Ecological info	ormation
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
(1 1 00%)	

ethanol, conc=90%, aqueous solution (64-17-5)	
LC50 fish 1	13000 mg/l (96 h, Salmo gairdneri, Pure substance)
EC50 Daphnia 1	9300 mg/l (48 h, Daphnia magna, Pure substance)

### 12.2. Persistence and degradability

ethanol, conc=90%, aqueous solution (64-17-5)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.7 g O <sub>2</sub> /g substance
ThOD	2.1 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.43

#### 12.3. Bioaccumulative potential

ethanol, conc=90%, aqueous solution (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.32
Bioaccumulative potential	Not bioaccumulative.

#### 12.4. Mobility in soil

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ecology - soil	No (test)data on mobility of the component(s) available.
5. Other adverse effects	
Art of Green Wipes Lavender Eucalyptus	
ethanol, conc=90%, aqueous solution (64-17	-5)
ther information	: No other effects known.
ECTION 13: Disposal considerations	
1. Disposal methods	
/aste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
ECTION 14: Transport information	
epartment of Transportation (DOT) accordance with DOT	
ransport document description	: UN1170 Ethanol solutions, 3, II
N-No.(DOT)	: UN1170
roper Shipping Name (DOT)	: Ethanol solutions
lass (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
acking group (DOT) lazard labels (DOT)	: II - Medium Danger : 3 - Flammable liquid
	RAHMABLE LIQUED 3
OT Packaging Non Bulk (49 CFR 173.xxx)	: 202
OT Packaging Bulk (49 CFR 173.xxx)	: 242
OT Special Provisions (49 CFR 172.102)	<ul> <li>24 - Alcoholic beverages containing more than 70 percent alcohol by volume must be transported as materials in Packing Group II. Alcoholic beverages containing more than 24 percent but not more than 70 percent alcohol by volume must be transported as materials in Packing Group III.</li> <li>IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.</li> <li>T4 - 2.65 178.274(d)(2) Normal</li></ul>
OT Packaging Exceptions (49 CFR 173.xxx)	: 4b, 150
OT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	: 5 L
OT Quantity Limitations Cargo aircraft only (49 FR 175.75)	: 60 L
OT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
mergency Response Guide (ERG) Number	: 127
ther information	: No supplementary information available.
ir transport	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

UN-No. (IATA)	: 1170
Proper Shipping Name (IATA)	: Ethanol solution
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium Danger
SECTION 15: Regulatory inform	nation
15.1. US Federal regulations	
ethanol, conc=90%, aqueous solution	ກ (64-17-5)
Listed on the United States TSCA (Tox	ic Substances Control Act) inventory
15.2. International regulations	
CANADA	
ethanol, conc=90%, aqueous solution	ın (64-17-5)
Listed on the Canadian DSL (Domestic	Substances List)
EU-Regulations	
No additional information available	
National regulations	
ethanol, conc=90%, aqueous solution	ın (64-17-5)
Listed on IARC (International Agency f	or Research on Cancer)
15.3. US State regulations	
No additional information available	

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 09/15/2021
Full text of H-phrases:
H225 Highly flammable liquid and vapor
H350 May cause cancer

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.